



Kit 1368

KIA Cerato, 4-dr Sedan, 04-09



KIA Spectra, 4-dr Sedan, 04-09 / *05-09

*North America



**480R
754**



480



750



THULE[®]
SWEDEN

ISO 11154-E

**Max.
60 kg**
**Max.
132 lbs**

x1

x4

x4

x4

x4

480R/754

x1

x4

x4

x4

480

x1

x4

x4

750

x2	x2	x2	x2	x2
x2	x2	x2	x2	x2
x2	x2	x2	x2	x2
x4	x4	x4	x4	x4

680 x2






191 x2


701 x2

192 x2

x1

Kit





1


2

	X
KIA Cerato, 4-dr Sedan, 04-09	29.5
KIA Spectra, 4-dr Sedan, 04-09 / *05-09	29.5

1

2

	Y
KIA Cerato, 4-dr Sedan, 04-09	28
KIA Spectra, 4-dr Sedan, 04-09 / *05-09	28



1

2

	X inch	X mm
KIA Cerato, 4-dr Sedan, 04-09	37 1/4"	946 mm
KIA Spectra, 4-dr Sedan, 04-09 / *05-09	37 1/4"	946 mm







1

2


	Y inch	Y mm
KIA Cerato, 4-dr Sedan, 04-09	36 5/8"	931 mm
KIA Spectra, 4-dr Sedan, 04-09 / *05-09	36 5/8"	931 mm

4




KIA Cerato, 4-dr Sedan, 04-09
KIA Spectra, 4-dr Sedan, 04-09 / *05-09



5



	X mm	Y mm	X inch	Y inch
KIA Cerato, 4-dr Sedan, 04-09	260 mm	650 mm	10 1/4"	25 5/8"
KIA Spectra, 4-dr Sedan, 04-09 / *05-09	260 mm	650 mm	10 1/4"	25 5/8"



GB/US Tighten alternately

D Die Schrauben abwechselnd anziehen

F Serrer alternativement chaque côté

NL Afwisselend aan de linker- en de rechterkant aandraaien

I Alternare il serraggio delle viti

E Serrare alternativamente

PT Aperte alternadamente

S Dra åt växelvis

FIN Kierrä vuorotellen

EST Pinguldage vaheldumisi

LAT Pievelciet pamišus

LIT Užsukinėkite pakaitomis

PL Śruby dokręcaj naprzemiennie

RU Затягивайте попеременно

CZ Pokręťta bagażníka dokręcaj dokręcaj naprzemiennie.

SK Doťahujte striedavo

SLO Privijajte izmenično.

HR Naizmjenično zategnite

HU Egymástól függetlenül szorítandó

GR Σφιγγετε εναλλάξ

TR Dönüşümlü sıkın


中文 交替拧紧

한국어 번갈아 가며 조이십시오.

日本語 交互に締め付けてください。

ไทย ชันในแบบสลับ






6





480R/754




480






750






i








i



i





THULE®
SWEDEN

**ONE
KEY
SYSTEM**

		(x4)
		(x6)
		(x8)
NA		(x10)
EUR		(x12)
ASIA		